

zen-v

DESIGN: Rocco Este 2008

























LAMPADA A SOSPENSIONE AD
EMISSIONE DI LUCE DIRETTA
ED INDIRETTA.

*SUSPENDED LUMINAIRE IN
WHITE PAINTED METAL FOR
DIRECT AND INDIRECT
LIGHTING.*













zen v

	dim. / con dimmer dim. / with dimmer	portallampade lamp socket	simbolo / watt symbol / watt		marchi mark list	
Suspension Rectangular glass	S04 YES / NO 1-10V double switch	G5 + G53		 2x54W + 3x50W ^{max} eco	$\varnothing 0,5\text{ m}$    	IP20
Suspension Square glass	S05 YES / NO 1-10V double switch	2G11 + G53		 2x80W + 2x50W ^{max} eco	$\varnothing 0,5\text{ m}$    	IP20
Suspension Flat glass	S06 YES / NO 1-10V double switch	R7s + G53		 1x120W ^{max} eco + 2x50W ^{max} eco	$\varnothing 0,5\text{ m}$    	IP20
Suspension Flat led glass	S07 NO / NO	--- + G53		 3000K-1100 lm + ^{LED} 13.5W + 2x10W ^{min}	$\varnothing 0,5\text{ m}$    	IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 bianco latte lucido glossy milk white	 nero lucido glossy black	 grigio tortora lucido glossy dove grey
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010		

note / notes Supporta il montaggio di lampadine AR111 LED min. 10W (**Rect., Square e Flat**) / Retrofit AR111 LED min. 10W lamps can be installed (**Rect., Square and Flat**)

FOR USA AND CANADA	Suspension Rectangular glass ^{SO4} G5 + G53	Suspension Square glass ^{SO5} R7s + G53	Suspension Flat glass ^{SO6} G5 + G53	Suspension Flat led glass ^{SO7}
lamp socket	G5 + G53	R7s + G53	G5 + G53	---
max wattage	2x55W + 3x max 50W	2x55W + 2x max 50W	1x max 150W + 2x max 50W	---
symbol	 + 	 + 	 + 	---
fixture supplied with backplate	NO	NO	NO	---
mounts to standard 4" j-box	YES	YES	YES	---
certifications	---	---	---	---
note	---	---	---	---

